

title


Badatelská komunikace

Vojtěch Svoboda

October 4, 2017


(hrubá zkratka)

Hranice lidského poznání



kredit:

Poslední Nobelovy ceny za fyziku



kredit: nobel.se

- Zelenáč
- Začátečník
- Novice
- Středně pokročilý
- Pokročilý
- Vědec
- Guru
- Kouzelník

Cesta je dlouhá

Outline

1 Úvod

2 Vědecký článek

3 Konference

Co obnáší badatelská práce

- Bádání.
- Psaní žádostí o granty.
- Nemůže mít klapky na očích.
- Starost o dorost, výuka.
- Byrokracie (bohužel).
- Prezentování, publikování (konference, články, monografie).
- Oponentská práce.
- Neustálé "keep to date", rešerše.

"Publish or perish" či "Publikuj, nebo se pakuj"

Science citation index

- Články v časopisech.
- Vystoupení na konferenci.
- Publikační životopis.
- Citační životopis.

Komunikace

Outline

1 Úvod

2 Vědecký článek

3 Konference

Článek

G Model
FUSION-8751; No. of Pages 7

ARTICLE IN PRESS

Fusion Engineering and Design xxx (2016) xxx–xxx



Contents lists available at ScienceDirect

Fusion Engineering and Design

journal homepage: www.elsevier.com/locate/fusengdes



Remote operation of the GOLEM tokamak for Fusion Education

O. Grover^a, J. Kocman^a, M. Odstrcil^c, T. Odstrcil^b, M. Matusu^a, J. Stöckel^{a,b}, V. Svoboda^{a,*}, G. Vondrasek^a, J. Zara^d

^a Faculty of Nuclear Sciences and Physical Engineering CTU Prague, CZ-115 19, Czech Republic

^b Institute of Plasma Physics AS CR, Prague CZ-821 21, Czech Republic

^c University of Southampton, Southampton SO17 1BJ, UK

^d Faculty of Electrical Engineering CTU Prague, CZ-166 27, Czech Republic

^{*} Max-Planck-Institut für Plasmaphysik, D-85748 Garching, Germany

HIGHLIGHTS

- The remote operation of the tokamak GOLEM for educational purposes.

GRAPHICAL ABSTRACT



ARTICLE INFO

Article history:

Received 19 June 2015

Received in revised form 26 February 2016

Accepted 2 May 2016

Available online xxxx

Keywords:

Tokamak technology

Remote participation

Education

Nuclear fusion

ABSTRACT

Practically oriented education in the field of thermonuclear fusion is highly requested. However, the high complexity of appropriate experiments makes it difficult to develop and maintain laboratories where students can take part in hands-on experiments in this field of study. One possible solution is to establish centres with specific high temperature plasma experiments where students can visit such a laboratory and perform their experiments *in-situ*. With the advancements of IT technologies it naturally follows to make a step forward and connect these with necessary plasma physics technologies and thus allow to access even sophisticated experiments remotely. Tokamak GOLEM is a small, modest device with its infrastructure linked to web technologies allowing students to set-up necessary discharge parameters, submit them into a queue and within minutes obtain the results in the form of a discharge homepage.

Publikace - jiná liga

ISI Web of KnowledgeSM Web of Science GO HOME

DocType=All document types; Language=All languages; Databases=SCI-EXPANDED, SSCI, A&HCI; Timespan=1945-2007
Send us feedback on Author Finder.

Refine your results Search within results: Enter a topic SEA

Subject Categories | Source Titles | Document Types | Authors | Publication Years more choices

91 results found (Set #1) Go to Page: 1 of 10 GO Records 1 -- 10 Show 10 per page ▾

Use the checkboxes to select records for output. See the sidebar for options.

<input type="checkbox"/> 1. Hawking SW, Hertog T Populating the landscape: A top-down approach PHYSICAL REVIEW D 73 (12): Art. No. 123527 JUN 2006 Times Cited: 5	Sort by: Latest date ▾ SORT
<input type="checkbox"/> 2. Hawking SW Information loss in black holes PHYSICAL REVIEW D 72 (8): Art. No. 084013 OCT 2005 Times Cited: 30	Analyze Results: ANALYZE User rankings of the authors, journals, etc. for these records.
<input type="checkbox"/> 3. Hawking SW, Hertog T Why does inflation start at the top of the hill? PHYSICAL REVIEW D 66 (12): Art. No. 123509 DEC 15 2002 Times Cited: 16	Citation Report: CITATION REPORT View detailed citation counts and the h-index value for the results.
<input type="checkbox"/> 4. Hawking SW, Hertog T, Reall HS Trace anomaly driven inflation PHYSICAL REVIEW D 63 (8): Art. No. 083504 APR 15 2001 Times Cited: 56	Output Records: Selected records on page All records on page Records <input type="text"/> to <input type="text"/> Bibliographic Fields ▾ PRINT E-MAIL SAVE
<input type="checkbox"/> 5. Hawking SW, Hertog T, Reall HS Brane new world PHYSICAL REVIEW D 62 (4): Art. No. 043501 AUG 15 2000 Times Cited: 154	

kredit: web of science

Článek - jiná liga

PHYSICAL REVIEW D 73, 123527 (2006)

Populating the landscape: A top-down approach

S. W. Hawking¹ and Thomas Hertog²

¹DAMTP, University of Cambridge, Wilberforce Road, Cambridge CB3 0WA, UK

²Physics Department, Theory Division, CERN, CH-1211 Geneva 23, Switzerland

(Received 20 February 2006; published 23 June 2006)

We put forward a framework for cosmology that combines the string landscape with no boundary initial conditions. In this framework, amplitudes for alternative histories for the universe are calculated with first boundary conditions only. This leads to a top-down approach to cosmology, in which the histories of the universe depend on the precise question asked. We study the observational consequences of no boundary initial conditions on the landscape, and outline a scheme to test the theory. This is illustrated in a simple model landscape that admits several alternative inflationary histories for the universe. Only a few of the possible vacua in the landscape will be populated. We also discuss in what respect the top-down approach differs from other approaches to cosmology in the string landscape, like eternal inflation.

DOI: 10.1103/PhysRevD.73.123527

PACS numbers: 98.80.Qc, 11.25.-w, 98.80.Cq

I. INTRODUCTION

It seems likely that string theory contains a vast ensemble of stable and metastable vacua, including some with a small positive effective cosmological constant [1] and the low energy effective field theory of the standard model. Recent progress on the construction of metastable de Sitter vacua [2] lends further support to the notion of a string landscape [3], and a statistical analysis gives an idea of the distribution of some properties among the vacua [4]. But it has remained unclear what is the correct framework for cosmology in the string landscape. There are good reasons to believe, however, that a proper understanding of the cosmological dynamics will be essential for the landscape to be predictive [5].

In particle physics, one usually computes S-matrix ele-

the universe, and there is certainly no opportunity for observing multiple copies of the universe.

In fact if one does adopt a bottom-up approach to cosmology, one is immediately led to an essentially classical framework, in which one loses all ability to explain cosmology's central question—why our universe is the way it is. In particular a bottom-up approach to cosmology either requires one to postulate an initial state of the universe that is carefully fine-tuned [10]—as if prescribed by an outside agency—or it requires one to invoke the notion of eternal inflation [11], which prevents one from predicting what a typical observer would see.

Here we put forward a different approach to cosmology in the string landscape, based not on the classical idea of a single history for the universe but on the quantum sum over histories [12]. We compute the amplitude for a particular

ISI Web of Knowledge [v2.0] - Konqueror

ISI Web of KNOWLEDGESM ISI Web of Science GO Home Log out

Easy Search Results--Full Record

Article 3 of 85 MARK PREVIOUS NEXT SUMMARY


Trace anomaly driven inflation
Hawking SW, Hertog T, Reall HS
PHYSICAL REVIEW D
63 (8): Art. No. 083504 APR 15 2001

Document type: Article Language: English Cited References: 56 Times Cited: 33 FIND RELATED RECORDS Explanation

Abstract:
This paper investigates Starobinsky's model of inflation driven by the trace anomaly of conformally coupled matter fields. This model does not suffer from the problem of contrived initial conditions that occurs in most models of inflation driven by a scalar field. The universe can be nucleated semiclassically by a cosmological instanton that is much larger than the Planck scale provided there are sufficiently many matter fields. There are two cosmological instantons: the four sphere and a new "double bubble" solution. This paper considers a universe nucleated by the four sphere. The AdS/CFT correspondence is used to calculate the correlation function for scalar and tensor metric perturbations during the ensuing de Sitter phase. The analytic structure of the scalar and tensor propagators is discussed in detail. Observational constraints on the model are discussed. Quantum loops of matter fields are shown to strongly suppress shear scale metric perturbations, which implies that short distance modifications of gravity would probably not be observable in the cosmic microwave background. This is probably true for any model of inflation provided there are sufficiently many matter fields. This point is illustrated by a comparison of anomaly driven inflation in four dimensions and in a Randall-Sundrum brane-world model.

KeyWords Plus:
ENERGY-MOMENTUM TENSOR, BRANE-WORLD COSMOLOGY, EARLY UNIVERSE, GRAVITY, ADS, PERTURBATIONS, INSTANTONS, FLATNESS, HORIZON, SPACE

Citační analýza



kredit: web of science

Reference na článek

 Web of Science®

[WELCOME](#) [HELP](#) [GENERAL SEARCH](#) [CITED REF SEARCH](#) [SEARCH HISTORY](#) [ADVANCED SEARCH](#) [SEARCH RESULTS](#)

Citing Articles--Summary

PARTICLE CREATION BY BLACK-HOLES
HAWKING SW
COMMUNICATIONS IN MATHEMATICAL PHYSICS
43 (3): 199-220 1975

These documents in the database cite the above record:

Refine your results
[Subject Categories](#) | [Source Titles](#) | [Document Types](#) | [Authors](#) | [Publication Years](#) [more choices](#)

2,615 results found
Records 1 -- 10 [Show 10 per page](#) [▼](#)

Go to Page: of 262 [GO](#)
[◀◀](#) [◀](#) [\[1\]](#) [2](#) ... [▶](#) [▶▶](#)

Use the checkboxes to select records for output. See the sidebar for options.

1. Lee JW, Oh S, Kim J
Quantum separability of thermal spin one boson systems
PHYSICS LETTERS A 363 (5-6): 374-377 APR 9 2007
Times Cited: 0 [VIEW FULL TEXT](#)

2. Li GQ
Turning radiation of a Gibbons-Maeda dilaton black hole
THEORETICAL AND MATHEMATICAL PHYSICS 151 (1): 586-589 APR 2007
Times Cited: 0 [VIEW FULL TEXT](#)


3. Park MI
Thermodynamics of exotic black holes, negative temperature, and Bekenstein-Hawking entropy
PHYSICS LETTERS B 647 (5-6): 472-476 APR 19 2007
Times Cited: 0 [VIEW FULL TEXT](#)

Analyze Results:
[ANALYZE](#)
User rankings of the authors, journals, etc. for these records.

Output Records:
 Selected records on page
 All records on page
 Records to
Bibliographic Fields [▼](#)
[PRINT](#) [E-MAIL](#) [SAVE](#)
[EXPORT TO REFERENCE SOFTWARE](#)
[SAVE TO MY **EndNote** Web](#) [▼](#)

kredit: web of science

Citační mapa



Record details for the nodes are displayed below (double-click a node to show its details). Click a checkbox below to locate that node above.

Primary Author	Journal Name	Article Title	CHINESE-SPEAKING LEARNERS' COGNITIVE COMPREHENSION PROBLEMS WITH ENGLISH VIDEO-BASED MATERIALS
Akbulut, Yavuz	2007- JOURNAL OF EDUCATIONAL SCIENCE	Effects of multimedia annotati...	Number / Title: WOS:000344972300002 / CHINESE-SPEAKING LEARNERS' COGNITIVE COMPREHENSION PROBLEMS WITH ENGLISH VIDEO-BASED MATERIALS
HULSTIJN JH	(year unknown)-IN PRESS 2 (ARTICLE IN PRESS)	(article title not available)	Journal Title: JOURNAL OF EDUCATIONAL COMPUTING RESEARCH
HWANGI W	(year unknown)-IN PRESS COGNIT INST	(article title not available)	Publication Year: 2014
HULSTIJN JH	(year unknown)-IN PRESS COGNITION	(article title not available)	Author: Lin, Lu-Fang
			Source Abbreviation: J EDUC COMPUT RES
			Volume: 51

kredit: web of science

Outline

1 Úvod

2 Vědecký článek

3 Konference

Konference



kredit:

- Pozvané přednášky
- Shrnující přednášky
- Klasické přednášky
- Posterové sekce
- ... welcom páry,
doprovodný pr., farw.
párty, satelitní
workshopy

Vykomunikovat třeba až 1000 příspěvků ..

Program konference

Time	Monday June 17th	Tuesday June 18th	Wednesday June 19th	Thursday June 20th	Friday June 21st
8h30					
9h	Opening session	I-2.01 D.Pesme	I-3.01 M.L.Watkins	I-4.01 G.Morfill	O-5.01 H.Henriksson O-5.02 K.D.Zastrow O-5.03 A.Stäbler O-5.04 G.T.Huyssmans O-5.05 J.Candy
10h	Hannes Alfvén Prize lecture coffee	I-2.02 A.Sips I-2.03 J.-M.Moret	I-3.02 R.Jaenicke I-3.03 B.Rus	I-4.02 L.N.Vyacheslavov I-4.03 V.E.Semenov	coffee
11h	I-1.01 H.Lesch I-1.02 P.Muggli	I-2.04 M.Roth I-2.05 R.Kodama	I-3.04 J.T.Mendonça I-3.05 K.Krushelnick	I-4.04 W.Dorland I-4.05 E.Ascasibar	O-5.06 I.Nunes O-5.07 M.v.Hellermann O-5.08 B.E.Chapman
12h	I-1.03 B.Saoutic	I-2.06 I.Cook	I-3.06 P.Helander	I-4.06 H.Summers	O-5.09 Y.V.Yakovchenko
13h	lunch	lunch	lunch	lunch	lunch
14h	I-1.04 G.Counsell I-1.05 T.Fukuda	I-2.07 T.Donné I-2.08 A.Fasoli	departure 13h30 Montreux station	I-4.07 M.Okabayashi I-4.08 W.A.Cooper	I-5.01 U.Schramm I-5.02 F.Porcelli
15h	O-1.01 S.Jachmich O-1.02 S.V.Lebedev O-1.03 V.Krivencki O-1.04 C.Castañol coffee	O-2.01 P.Lotte O-2.02 M.J.Hole O-2.03 J.Stöckel O-2.04 P.R.Thomas coffee	Excursion	O-4.01 E.Poli O-4.02 A.D.Turnbull O-4.03 S.Coda O-4.04 Voltekhovitch coffee	I-5.03 D.D.Ryutov Closing session
16h	O-1.05 J.Decker O-1.06 F.Sardei O-1.07 B.Esposito O-1.08 V.E.Fortov O-1.09 T.Estrada	O-2.05 B.Gonçalves O-2.06 H.W.Müller O-2.07 G.Martin O-2.08 M.R.Wade O-2.09 D.A.Gates	Edge, SOL, and Divertor Plasma Turbulence and Transport	O-4.05 Krasheninnikov O-4.06 A.Bers O-4.07 B.Coppi O-4.08 M.Krämer O-4.09 N.N	Dusty and Complex Plasmas
17h		Evening session 18h00 - 20h00 Prof. Ian Fells Clean and Secure Energy for the 21st Century ?	return 19h00 Montreux station		
18h	18h30 Montreux Pier Reception Steamer "Lausanne"			18h30 departure for Gala Dinner	
19h					




Programme of the 29th EPS Conference on Plasma Physics and Controlled Fusion, Montreux, 2002 status : May 30

Posterová sekce



kredit: ČVUT workshop 2000

Poster



- Nástěnka v určený čas.
 - Být v daný čas přítomen

kredit: ČVUT workshop 2000

Produkce

LOC:

- Sehnat magnety.
- First announcement + Call for papers.
- Second announcement.
- Book of abstracts.
- Konference.
- Proceedings.

AUTOR:

- Celoroční práce.
- Přihlášení sebe a příspěvku na konferenci.
- Sepsání jednostránkového abstraktu.
- 4-stránkový proceeding.
- Sestavení prezentace či posteru.
- Odprezentování.

Kýžený závěr

```
@article{tibon:94,  
title="An assesment of theoretical models based on observations in the JET tokamak",  
author="F. Tibone and J.W. Connor and T.E. Stringer and H.R. Wilson",  
journal="Plasma Phys. and Control. Fusion",  
year="1994",  
volume="36",  
number="",  
publisher="Institute of Physics publishing",  
address="",  
pages="473-512",  
}
```

kredit:

Role chairperson



kredit: SOFT2016.eu

Závěr

Komunikovat všemi směry ..